

Carbusonic Leather Dye Grey for sofas chairs shoes handbags ASIN B07JYRC2H2

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier Asin	B07JYRC2H2
Product Name	Carbusonic Leather dye Grey For Sofas Chairs sofas ASIN- B07JYRC 2H2
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not known.
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified Use(s)	LEATHER DYE
1.3 Details of the supplier of the safety data sheet	
Manufacturer	
Company Identification	Carbusonic Ltd
Address of Manufacturer	11 LYNN TERRACE WHEATLEY HILL DURHAM
Postal code	DH63QN
Telephone:	07484265364
Fax	Not known.
E-mail	info@carbusonic.co.uk
Office hours	8am – 4pm
1.4 Emergency telephone number	
Emergency Phone No.	01429 820539
Contact	Carbusonic Ltd
National response center	
Address	NHS Direct
Emergency Phone No.	+44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
Regulation (EC) No. 1272/2008 (CLP)	Not classified as dangerous for supply/use.
2.2 Label elements	
Product Name	According to Regulation (EC) No. 1272/2008 (CLP) Carbusonic Leather Dye Grey For Sofas ASIN B07JYRC2H2
Hazard Pictogram(s)	None.
Signal Word(s)	None.
Hazard Statement(s)	None. EUH208: Contains: (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)) May produce an allergic reaction.
Precautionary Statement(s)	None.
2.3 Other hazards	None known.
2.4 Additional Information	For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances
Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
2-butoxyethanol ethylene glycol monobutyl ether butyl cellosolve	111-76-2	203-905-0	5	Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Irrit. 2 H319	GHS07

Carbusonic Leather Dye Grey for Sofas Chairs Shoes Handbags ASIN B07JYRC2H2

--	--	--	--	--	--

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

Inhalation	Treat symptomatically.
Skin Contact	Treat symptomatically.
Eye Contact	Treat symptomatically.
Ingestion	Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	None.

5.2 Special hazards arising from the substance or mixture

None anticipated. Heating may cause decomposition.

5.3 Advice for firefighters

As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling****7.2 Conditions for safe storage, including any incompatibilities**

Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.

7.3 Specific end use(s)

Not known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters****8.1.1 Occupational Exposure Limits**

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTTEL (8 hr TWA ppm)	LTTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Sodium hydroxide	1310-73-2				2	
2-Butoxyethanol	111-76-2	25	123	50	246	Sk, BMGV
2-Butoxyethanol	111-76-2	20	98	50	246	IOELV, Skin
Triethylamine	121-44-8	2	8	4	17	Sk
Triethylamine	121-44-8	2	8.4	3	12.6	IOELV, Skin

Region	Source
EU	EU Occupational Exposure Limits
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Carbusonic Leather Dye Grey for sofas chairs shoes handbags ASIN B07JYRC2H2

Remark	Notes
Sk	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.
BMGV	Biological monitoring guidance values are listed in Table 2.
IOELV	Indicative Occupational Exposure Limit Values.
Skin	The possibility of significant uptake through the skin.

Biological Exposure Indices						
Substances	CAS Number	Sampling	Tissues	Control parameters	Biological monitoring guidance value	Comments
2-Butoxyethanol	111-76-2	240 mmol butoxyacetic acid/mol creatinine in urine	Post shift			

Remark	Notes
--------	-------

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Not normally required.



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Appearance	Liquid.
Odour	Colour : Grey
Odour threshold	Characteristic.
pH	Not known.
Melting point/freezing point	7.5-8.0.
Initial boiling point and boiling range	Not known.
Flash Point	Not known.
Evaporation rate	Not known.
Flammability (solid, gas)	Not known.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	Not known.
Relative density	Not known.
Solubility(ies)	Solubility (Water) : Yes.
	Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.

Carbusonic Leather Dye Grey for sofas chairs shoes handbags ASIN B07JYRC2H2

Explosive properties	Not known.
Oxidising properties	Not known.
9.2 Other information	None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	None anticipated.
10.2 Chemical Stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	None anticipated.
10.5 Incompatible materials	Not known.
10.6 Hazardous decomposition products	No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute toxicity - Ingestion	Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 9503.26000
Acute toxicity - Skin Contact	Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 145900.20000
Acute toxicity - Inhalation	Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 1186.27000
Skin corrosion/irritation	Calculation method : Causes mild skin irritation.
Serious eye damage/irritation	Not classified.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
11.2 Other information	Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.
12.2 Persistence and degradability	Not known.
12.3 Bioaccumulative potential	Not known.
12.4 Mobility in soil	Not known.
12.5 Results of PBT and vPvB assessment	Not known.
12.6 Other adverse effects	Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

Carbusonic Leather Dye Grey for sofas chairs shoes handbags ASIN B07JYRC2H2**13.1 Waste treatment methods**

Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one (2634-33-5), sodium hydroxide caustic soda (1310-73-2), 2-butoxyethanol ethylene glycol monobutyl ether butyl cellosolve (111-76-2), reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) (55965-84-9), Poly(oxy-1,2-ethanediyl), α -methyl- ω -[3-[1,3,3,3-tetramethyl-1-(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]- (27306-78-1), Alcohols, secondary C11-15, ethoxylated (68131-40-8), 2,4,7,9-tetramethyldec-5-yne-4,7-diol (126-86-3), triethylamine (121-44-8), N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9), 2-methyl-2H-isothiazol-3-one (2682-20-4)

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s) None.

Carbusonic Leather Dye Grey for sofas chairs shoes handbags ASIN B07JYRC2H2

	GHS07: GHS: Exclamation mark
Hazard classification	Acute Tox. 4 : Acute toxicity, Category 4 Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Eye Irrit. 2 : Serious eye damage/irritation, Category 2
Hazard Statement(s)	H302: Harmful if swallowed. H315: Causes skin irritation. H319: Causes serious eye irritation.
Precautionary Statement(s) Acronyms	None. CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity vPvB : very Persistent and very Bioaccumulative
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. CARBUSONIC Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. CARBUSONIC Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.